

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Mr. Jorge Tony Villabon on 2/25/2011.

A) On page 6 of the specification, line 26, the following has been inserted:

--Fig. 5 depicts a flow diagram of a method in accordance with an embodiment of the present invention.

Fig. 6 depicts a high level block diagram of an apparatus for controlling a pick-up in accordance with an embodiment of the present invention.--

2. US Patent #6,643,449 to Nagata et al. has been cited for its illustration of an A/V recording device (e.g., @ 41 of Figure 11) in which the audio and video components are stored as separate files (e.g., @ 42, 43).

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to DAVID E. HARVEY whose telephone number is (571) 272-7345. The examiner can normally be reached on M-F from 6:00AM to 3PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Mr. Peter-Anthony Pappas, can be reached on (571) 272-7646. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

/DAVID E HARVEY/
Primary Examiner, Art Unit 2481

DAVID E HARVEY
Primary Examiner
Art Unit 2481